

Building Regulations (England and Wales J4 and Scotland F3.12) require each flue and chimney to be identified with a notice plate in the dwelling. To assist you in meeting the requirements, Dunbrik can supply metal notice plates as example below.

Peel off the protective film. Enter the data with an indelible pen such as a CD marker. Fix the plate securely with strong adhesive to a clean wall in an unobtrusive but obvious position within the building such as next to; the electricity consumer unit; the water supply stopcock; or the chimney or hearth described.

To assist you, Dunbrik flue systems have the following descriptions, dimensions and appliance suitability:

Flue type	Flue sizes internal	Fire/Appliance suitability
Dunbrik A1 concrete flue liners BSEN1857 Type A1 - T600 N1 D 3 G	Round liners 200mm, 225mm, 300mm and 450mm internal round Square liners 200mm, 250mm and 300mm internal square	All domestic appliances
Dunbrik Mini Clearflow gas flue block system to BSEN1858 - T250 N1	185mm x 90mm internal rectangular flue	Gas fires suitable for gas flue block systems (precast flues) to BSEN1858 or BS1289

Where a flue has a terminal fitted for air ventilation purposes only, the notice must state that "the flue is not to be used for fires".

The equivalent flue height for your Dunbrik gas flue can be calculated by the Dunbrik technical staff.

Example of Notice Plate with *sample gas flue data* (actual plate is metal 147mm by 160mm)

Dunbrik Flues Notice Plate for Hearths and Flues IMPORTANT SAFETY INFORMATION This plate must be permanently affixed and must not be removed or covered		
Address of property	<i>Sample house 20 Main Street Newtown N1 ANY</i>	
Room where hearth, fireplace or start of flue located	<i>Lounge</i>	
The flue is suitable for these types of appliances	<i>Gas fires suitable for gas flue block systems (precast flues) to BSEN1858 or BS1289</i>	
For gas flues the equivalent flue height is	<i>----- meters</i>	
Manufacturer, flue type and internal dimension	<i>Dunbrik Mini Clearflow gas flue block system to BSEN1858 185mm x 90mm internal rectangular flue</i>	
Installer	<i>Smith Building Co</i>	Date installed <i>01/09/2006</i>
Other information		
Condensing appliances: Maintenance:	The flue is not suitable for condensing appliances The flue and/or chimney should be regularly inspected and maintained as advised by a qualified person.	
Installation guidance:	website: www.dunbrik.co.uk Tel: 01924 373694	