

Micafil Vermiculite 100 Litre

Cannon pot 450mm tall red

Smoke pellet tube

310ml Skeleton Gun

Flue notice plate

Topguard birdguard cowl 260 tall red

Red polypropylene air brick 220mm x 72mm

High impact styrene black cavity sleeve 218mm x 72mm

Dunbrik A1 Concrete Flue Liners

for domestic chimneys

Flue Costing

200 mm id

Tel: 01924 373694

38.39

55.99

111.50

12.47

8.50

7.04

1.02

5.53

191.95

55.99

111.50

12.47

8.50

7.04

3.06

16.59

Email: tech@dunbrik.co.uk Web: www.dunbrik.co.uk

Typical Flue Detail Costing Costing for: 200id-9m-offset-2-23C Costing ref House type House With 200mm I.D. Flue Customer ref. Chimney Height 8967mm from FFL to U/S of chimney pot Date 10 January 2025 Ву SJ Plot number Price list March 2025 Product Prices Components Cost Qty code each £ Throat lintel/gather unit 800mm wide 200TL800 1 104.23 104.23 200mm flue liner bend 22.5 degrees 200B 4 20.12 80.48 200mm flue liner 600mm tall 200L600 11 20.61 226.71 200mm flue liner 230mm tall 200L230 2 12.33 24.66 200mm flue liner 150mm tall 200L150 3 9.74 29.22 Flue liner sealant 310ml 6 7.35 44 10 Dunseal

MV100L

Cann450R

TG260R

Smoke

Plate

Sealgun

REDG930

CSG935

5

1

1

1

1

1

3

 Cost ex-works *
 916.50

 Delivery charge
 75.00

 Goods
 £
 991.50

 VAT @
 20%
 198.30

 Total
 £
 1,189.80

All prices are ex-works, valid for 30 days and are subject to VAT.

Charge for individually plotting multiple flue orders is £40 per plot.

Free delivery for orders over £1,000 nett invoice value (ex-Vat) to UK mainland excluding the Highlands of Scotland (POA).

All trading is subject to our standard conditions of sale (copy available).

Notes

This flue costing is based on information provided. Please have your architect check the costing to your drawings prior to ordering. to ensure that it meets with your requirements. Please also check the pot/terminal style and colour.

For construction guidance refer to the flue illustration and the installation guide available on our website www.dunbrikflues.co.uk

The infill is based on a 303mm x 275mm void between the liners and masonry

Please ensure that the flue and chimney are constructed in accordance with Building regulations part J

Dunbrik (Yorks) Ltd 172 Ferry Lane, Stanley, Wakefield WF3 4LT - Registered in England 419512



Sample 200mm I.D. flue liner system for open fire with offset.

Date: October 2023


Ref: 200id-9m-offset-2-23C

Telephone: 01924 373694 Email: tech@dunbrik.co.uk Web: www.dunbrik.co.uk

CANN450 1 No. 200L150 2 No. 200B Bends In Order To Backset Flue System. 2 No. 200L150 Plan at Top of Stack Voids between flue liners and masonry to be filled with MV100L 11 No. 200L600 -Plan at First Floor Level -2 No. 200B Bends In Order 1 No. 200L230/ To Offset Flue System Left. 1 No. 200L230 200TL800 Plan at Ground Floor Level Chimney Height 8967mm from FFL to U/S of chimney pot.



Chimney Height of 8967mm from FFL to underside of chimney pot.



MV100L used to fill void

between flue liner and

surrounding masonry.

Dunbrik A1 Concrete Flue Liner System to BS EN 1857

Please have your architect check this typical flue illustration to your drawings to ensure it meets both your requirements and current building regulations.

ALL DIMENSIONS ARE SHOWN IN MILLIMETRES NOT TO SCALE

dunbrik flues Chimney Checklist Dunbrik (Yorks) Ltd domestic flue & chimney systems Tel: 01924 373694 Email: tech@dunbrik.co.uk The checklist is based on Building Regulations ADJ Appendix A. with Dunbrik flue liner system data. The builder/installer should insert details of the actual fireplace opening sizes, actual ventilation installed and any variations to the usual data. Typical Flue Detail Costing Costing ref Site at Plot number House With 200mm I.D. Flue Dunbrik 200mm id A1 concrete flue liners System House type Customer ref. Chimney Height 8967mm from FFL to U/S of chimney pot Date 10 Jan 2025 200 mm id Checklist for hearths, fireplaces, flues and chimneys This checklist can help you to ensure hearths, fireplaces, flues and chimneys are satisfactory. If you have been directly engaged, copies should also be offered to the client and to the Building Control body to show what you have done to comply with the requirements of part J. If you are a sub-contractor, a copy should be offered to the main contractor Items listed in ADJ Appendix A Details for builder to complete or amend 1 Building address, where work has been carried out Amend 2 Identification of hearth, fireplace, chimney or flue. Fireplace in lounge 3 Firing capability: solid fuel/gas/oil/all 4 Intended type of appliance. State type or make. For gas fire or solid fuel fire If open fire give finished fireplace opening dimensions. 500mm by 550mm maximum or equivalent area Through wall ventilation 5 Ventilation provisions for the appliance State type and area of permanently open air vents 15,700 sq mm minimum 6 Chimney or flue construction New masonry chimney with: a) State the type or make and whether new or existing. **Dunbrik A1 concrete flue liners to BSEN1857** b) Internal flue size (and equivalent flue height, where 200mm internal diameter calculated natural draught gas appliances only). c) If liners are used confirm they are correctly jointed Tongue downwards into rebate in accordance with manufacturers instructions and and joined with Dunseal fireproof mortar state jointing materials used. d) If an existing chimney has been refurbished with a new liner, type or make of liner fitted. e) Details of flue outlet terminal Outlet detail Cannon pot 450mm tall Complies with: BSEN13502:2002 f) Number and angle of bends. 4 bends ref 200B at 22.5 degrees g) Provision for cleaning and recommended frequency. Annually via fireplace opening 7 Hearth. Form of construction. New or existing As diagram 25 in ADJ

I/We the undersigned confirm that the above details are correct. In my opinion, these works comply with the relevant requirements in Part J of Schedule 1 to the Building Regulations.

Visual Sweeping Coring ball Smoke

Spillage

8 Inspection and testing after completion

Flue inspection results

Appliance (where included)

Test (Appendix E in AD J 2002) and results

•		
Print name & title	Profession	
Capacity	Tel no	
Address	Postcode	
Signed	Date	
Registered membership	of (e.g. Gas Safety, OFTEC, HETAS, NACE, NACS)	

Tests carried out by: