

Costing for: **Typical Flue Detail Costing**
House type House with 250mm I.S. Flue
Customer ref. Chimney Height 6005
Site
Plot number

Costing ref **250sq-6m-offset-2-23B**
Date 01 February 2024
By SJ
Price list October 2023

Components

| Components | Product code | Qty | Prices each | Cost £ |
|--|--------------|-----|-------------|--------|
| Throat lintel/gather unit 1000mm wide | AF250/1000S | 1 | 108.29 | 108.29 |
| 250mm flue bend 30 degrees | 10B | 4 | 28.57 | 114.28 |
| 250mm flue liner 230mm tall | 10L | 18 | 15.09 | 271.62 |
| 250mm flue liner 140mm tall | 10LS | 2 | 9.10 | 18.20 |
| Flue liner sealant 310ml | Dunseal | 14 | 6.68 | 93.52 |
| Infill aggregate 22kg mix for void | Dunfil | 13 | 6.98 | 90.74 |
| Square based round pot red | SBRP685R | 1 | 133.25 | 133.25 |
| Topguard birdguard cowl 260 tall red | TG260R | 1 | 101.36 | 101.36 |
| Flue notice plate | Plate | 1 | 7.73 | 7.73 |
| 310ml Skeleton Gun | Sealgun | 1 | 6.40 | 6.40 |
| Red polypropylene air brick 220mm x 72mm | REDG930 | 5 | 0.92 | 4.60 |
| High impact styrene black cavity sleeve 218mm x 72mm | CSG935 | 5 | 5.03 | 25.15 |
| Smoke pellet tube | Smoke | 1 | 11.34 | 11.34 |

| | |
|-----------------|-------------------|
| Cost ex-works * | 986.48 |
| Delivery charge | 60.00 |
| Goods | £ 1,046.48 |
| VAT @ 20% | 209.30 |
| Total | £ 1,255.78 |

All prices are ex-works, valid for 30 days and are subject to VAT.
Charge for individually plotting multiple flue orders is £30 per plot.
Free delivery for orders over £1,000 nett invoice value (ex-Vat) to UK mainland excluding the Highlands of Scotland (POA).
All trading is subject to our standard conditions of sale (copy available).

Notes





This flue costing is based on information provided. Please have your architect check the costing to your drawings prior to ordering to ensure that it meets with your requirements. Please also check the pot/terminal style and colour.

For construction guidance refer to the flue illustration and the installation guide available on our website www.dunbrikflues.co.uk

The infill is based on a 353mm x 415mm void between the liners and masonry

Please ensure that the flue and chimney are constructed in accordance with Building regulations part J

Notes



Dunbrik A1 Concrete Flue Liner System to BS EN 1857

Please have your architect check this typical flue illustration to your drawings to ensure it meets both your requirements and current building regulations.

ALL DIMENSIONS ARE SHOWN IN MILLIMETRES NOT TO SCALE

